



Atkar

beyond expectations

TEMPORARY PROTECTION MATERIALS



edition 01

FLOOR PROTECTION

Adhesive Films	14	Plastic Rolls	19
Breathable Protector	22	Plywood	12
Felt Protectors	28	PolyFlute	9
Foam Rolls	24	Polyweave	22
MDF	11	Rubber Rolls	29
Overshoe Protectors	48	Tacky Dust Mats	48

WINDOW PROTECTION

Aluminium Protection Tape	39
Foam Protectors	31
MDF	11
Plastic Rolls	19
Plywood	12
PolyFlute - Translucent	9
Tacky Window Film	14
Window Wrap	15

STAIR & HAND RAIL PROTECTION

BubbleWrap	26
Foam Door & Handrail Protectors	31
Felt Protectors	28
PolyFlute	9
Stair Tread Protectors	34
Tacky Film	16

EDGE & CORNER PROTECTION

BubbleWrap	26
Corner Protectors	32
Felt Protectors	28
Foam Rolls	24
Foam Protectors	31
Plastic Rolls	19
PolyFlute	9

WORKTOP PROTECTION

Adhesive Films	14
BubbleWrap	26
Felt Protectors	28
Foam Rolls	24
Plastic Rolls	19
PolyFlute	9

SAFETY & PPE

Dust Containment	48
Hoardings	45
PPE	51
Barriers	45



SHEET PRODUCTS

8-12




FILM & WOVEN PRODUCTS

13-22



SOFT ROLL PRODUCTS

23-29



EDGE PROTECTION

30-34




ADHESIVE TAPES

35-39



TOOLS

40-43



EXPANDING BARRIERS / HOARDINGS / DUST CONTAINMENT SYSTEMS

44-49



SAFETY & PPE

50-54

CONTENTS

Remember: if you can't find it in here – contact our sales team!

NEED HELP?

Getting help and placing orders has never been easier!



Call
03 9796 3333



Shop Online
atkar.com.au



Email
enquiries@atkar.com.au



Visit our store
17-19 David Lee Rd
Hallam, Vic 3803



Fax your order
03 9796 3389



Talk to your
account manager



ATKAR DELIVERY PROMISE

"ON TIME IN FULL"



STANDARD DELIVERY

Order by **9 AM** delivered by **3 PM** ▶ **SAMEDAY**
Order by **3 PM** delivered by **12 PM** ▶ **NEXT DAY**

9 AM ▶▶▶▶ **3 PM**
3 PM ▶▶▶▶ **12 PM**

DOES YOUR ORDER REQUIRE URGENT ATTENTION? Please specify and we will deliver it **PRONTO™**!



PRONTO™ DELIVERY

PRONTO™ – "When you're racing against time...bank on us"™

DELIVERY GUARANTEE - "If we fail to meet your expectations, we pay for the delivery"

STANDARD

We will deliver your order within the Atkar Melbourne Metro by 3pm if ordered by 9am **SAMEDAY**. Orders placed by 3pm will be delivered by 12pm **NEXTDAY**.

PRONTO™

We will deliver your order within the Atkar Melbourne Metro within 3 hours of the order being placed.

Conditions as follows:

- Order less than 4000kg
- There is site access
- There is site assistance

Want to know more?

- Vic country /Outer metros
- Interstate
- Crane Delivery

...Contact us.



WHAT TO EXPECT FROM ATKAR LOGISTICS

- ① Phone call before delivery to confirm order and delivery instructions.
- ② SMS message sent when delivery leaving Atkar.
- ③ Consistant "On Time in Full" deliveries unless we specify.

(We will strive to communicate any back orders or delays before they happen so you can plan and we can deliver.)



* In the event of unforeseeable circumstances, these rates and conditions may change without notice, however we will strive to communicate any changes immediately to you.

ABOUT ATKAR

After 50 years of working directly with the construction industry, temporary site protection has been added to our long list of solutions.

We're providing new, innovative and cost effective solutions, designed to solve safety and surface protection issues associated with today's construction processes. Atkar's reputation has been built upon the construction industry by continuously assisting each customer to meet and exceed their requirements in a way that is – beyond expectations!

OTHER SOLUTIONS WE OFFER



Ceiling Systems



Drywall Systems



Fibre Cement Systems



Au.diSelect

Need assistance? A quote? Technical support? Contact us on **03 9796 3333** or email enquiries@atkar.com.au

- **Complete Package**
- **Online Ordering**
- **1:1 Consultancy**
- **Customisation**
- **Personal Service**
- **Guaranteed Deliveries**

'it's all part of... "beyond expectations"



Cladding Materials



Insulation




General Accessories



Panel Processing

1 SHEET PRODUCTS

- 9 PolyFlute
- 10 PolyFlute Rolls
- 11 MDF
- 12 Plywood



POLYFLUTE™

POLYFLUTE polypropylene sheeting designed to protect floors, walls, columns, doors, windows and fragile products / equipment.



Benefits

- Dual wall – high impact protection
- Easy to fold for vertical surface protection
- Light weight, tough, versatile, waterproof



Uses

- Translucent is often used for window protection.
- Excellent for wet traffic protection and as a sealing membrane
- Easy to cut and form/fold to protect staircases, corners, doors, jambs and windows and protection for kitchen surfaces, vanities and toilets.
- Protective membrane barrier behind retaining walls.



Application Instructions

- Cut to length and join as required
- Tape joins and edges using appropriate adhesive tape
- PolyFlute cutter and folder tool



PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
PF251812T	2.5mm Translucent PolyFlute	1800mm x 1200mm	400	0.76
PF252412T	2.5mm Translucent PolyFlute	2400mm x 1200mm	400	1.01
PF201812W	2.0mm White PolyFlute	1800mm x 1200mm	400	0.65
PF251812W	2.5mm White PolyFlute	1800mm x 1200mm	400	0.76
PF252412W	2.5mm White PolyFlute	2400mm x 1200mm	400	1.01
PF501812W	5.0mm White PolyFlute	1800mm x 1200mm	240	1.90
PF502412W	5.0mm White PolyFlute	2400mm x 1200mm	240	2.59
PF802412W	8.0mm White PolyFlute	2400mm x 1200mm	150	4.32
PF201111B	2.0mm Black PolyFlute	1500mm x 1150mm	500	0.44
PF201812B	2.0mm Black PolyFlute	1800mm x 1200mm	500	0.65
PF202412B	2.0mm Black PolyFlute	2400mm x 1200mm	500	0.86
PF251812B	2.5mm Black PolyFlute	1800mm x 1200mm	400	0.76
PF252412B	2.5mm Black PolyFlute	2400mm x 1200mm	400	1.01
PF501812B	5.0mm Black PolyFlute	1800mm x 1200mm	240	1.90
PF502412B	5.0mm Black PolyFlute	2400mm x 1200mm	240	2.59

*Flame Retardant PolyFlute also available!



Email Orders:
orders@atkar.com.au



Order Online:
atkar.com.au



POLYFLUTETM ROLLS

Rollout **POLYFLUTE** for more convenient and faster coverage whilst minimizing taped joints.



Benefits

- Fast coverage with minimized taped joints
- Light weight – Easy to use



Uses

- A great protective runner or walkway
- Light hoarding and segregation substrate
- Use with SupaFoam on sensitive surfaces



Application Instructions

- Simply roll out, cut to length and join as required
- Tape joints and edges using appropriate adhesive tape

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
PFR252012B	2.5mm Black PolyFlute Roll	1220 x 20m	4	8.54
PFR255012B	2.5mm Black PolyFlute Roll	1220 x 50m	4	21.35

Innovative ideas and solutions are just a call away!

03 9796 3333

www.atkar.com.au



Prefinished and **MDFGUARD** sheets are a cost effective solution for high traffic/impact floor protection. Also used as premium internal barriers or hoarding walls.



Benefits

- High impact protection from falling objects
- Strong, durable
- Smooth finish , maintains straightness and evenness
- Flame retardant options available
- Very cost effective means of impact protection
- Facing options available
- All sizes and thicknesses available
- Cut to size service available



Uses

- Effective protection solution for high traffic/heavy impact areas
- Ideal for timber, marble, tiles, vinyl floors
- Excellent buffer for fragile surfaces during heavy activity and demolition
- Internal hoardings in public areas
- For sensitive surface finishes use in conjunction with **SUPAFOAM**
- Temporary pedestrian barrier/hoarding



Application Instructions

- Tape joints and edges using appropriate adhesive tape



PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
MDF032412P	3.0mm MDF	2440mm x 1220mm	150	7.74
MDF062412	6.0mm MDF	2440mm x 1220mm	80	12.76
MDF092412	9.0mm MDF	2400mm x 1200mm	60	19.44
MDF122412	12.0mm MDF	2400mm x 1200mm	60	25.57
MDF123612	12.0mm MDF	3600mm x 1200mm	40	38.36
MDF162412	16.0mm MDF	2400mm x 1200mm	50	34.10
MDF163612	16.0mm MDF	3600mm x 1200mm	35	51.15
MDF182412	18.0mm MDF	2400mm x 1200mm	45	38.36
MDF183612	18.0mm MDF	3600mm x 1200mm	30	57.54



Email Orders:
orders@atkar.com.au



Order Online:
atkar.com.au



PLYGUARDTM PLYWOOD

PLYGUARD Plywood sheeting is the most durable and long-term solution for high traffic and impact floor protection. Used extensively as premium internal and external barriers, block out or hoardings.



Benefits

- Extra heavy duty long-term impact protection from falling objects
- Spans greater unsupported distances than other timber sheets
- Multi-layers laminated for strength, durable both internally and externally
- Flame retardant options available
- Facing options available (white laminated etc.)
- Other sizes and thicknesses available
- Marine grade also available



Uses

- The most resilient long-term protection solution for high traffic/heavy impact areas
- Ideal for ramps and walkways
- Excellent buffer for fragile surfaces during heavy activity and demolition
- Internal/external barriers, block out and hoardings
- Temporary pedestrian barrier/hoarding
- For sensitive surface finishes use in conjunction with SupaFoam



Application Instructions

- Tape joins and edges using appropriate adhesive tape


PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
PG072412	PlyGuard - 7 .0mm Plywood	2440mm x 1220mm	170	6.54
PG092412	PlyGuard - 9.0mm Plywood	2440mm x 1220mm	110	10.08
PG122412	PlyGuard - 12.0mm Plywood	2440mm x 1220mm	80	13.45
PG152412	PlyGuard - 15 .0mm Plywood	2440mm x 1220mm	50	18.32
PG182412	PlyGuard - 18 .0mm Plywood	2440mm x 1220mm	45	22.81

*Structural, decorative and blade film faced plywood's also available - *enquire for more details!*



2 FILM & WOVEN PRODUCTS

- 14** Adhesive Film Products
- 19** Plastic Film Products
- 20** Stretch Film
- 22** Woven Products



SUPATAK™ 200: WINDOW FILM

SUPATAK 200 is a UV stabilized protection film with a medium/high level of adhesion. It is often used to protect window and frames on construction sites.



Benefits

- Protects against non-impact scratches, paint and mortar splashes
- Adhesive backed – removes clean, leaves no residue
- Waterproof – can be used externally
- UV Protected – safe for use up to 3 month (Internally/Externally)



Uses

- Ideal for most smooth surfaces, kitchen units, worktops and glass
- Also used for window and door frame protection
- Not suitable for treated or tinted face of glass



Application Instructions

- Clean surface prior to use is recommended
 - A test area is always recommended prior to full application
 - Simply rolled out and press into position
 - Avoid stretching film during application
 - Must be removed after maximum of 12 weeks
 - It is the user's responsibility to determine suitability for use.
- If in doubt contact technical services for advice



PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
ST202100	SupaTak 200 - Blue Low Tack Window Film Roll	150mm x 100m	6	2.04
ST206100	SupaTak 200 - Blue Low Tack Window Film Roll	610mm x 100m	6	8.30
ST212100	SupaTak 200 - Blue High Tack Window Film Roll	1220mm x 100m	6	12.63



www.atkar.com.au



SUPATAK™ 300: BLOCK-OUT FILM

SUPATAK 300 is a UV stabilized protection film used for window block-out



Benefits

- Privacy
- UV Protected – safe for use up to 3 month



Uses

- Window block-out



PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
ST306100	SupaTak 300 – Black Block-out Window Film	610mm x 100m	128	8.30
ST312100	SupaTak 300 – Black Block-out Window Film	1220mm x 100m	128	12.63

WINDOW WRAP FILM

Unique film for letting in light whilst protecting timber, aluminum or UPVC frames and treated glass from soiling and damage.

We'll organise on-site assistance to solve your protection problems.



Uses

- Treated glass windows



Application Instructions

- May be heat sealed or taped

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
WW32138	Clear Window Wrap Roll	3200mm x 138m	30	35.20

www.atkar.com.au



Email Orders:
orders@atkar.com.au



Order Online:
atkar.com.au



SUPATAK™ 500: HARD SURFACE FILM

SUPATAK 500 is a clear mid tack, hard surface adhesive film with a self-adhesive surface on one face. It has been designed to provide temporary protection on tile, marble, timber and vinyl surfaces. It is easy to roll out over stairs, as a walkway or for complete surface coverage.

+ Features / Benefits

- Puncture and tear resistant
- Heavy duty clear film
- Mid Tack adhesive backed – stays securely in place and leaves no residue
- Trip safe – proven to be safe even in public thoroughfares
- Waterproof

✓ Applications

- Ideal temporary protection for tiles, marble, timber and vinyl surfaces.
- Secure protection for bench tops and low profile protection on timber flooring
- Neat/tight fit against skirting's, columns, and cabinets

📋 Application Instructions

- Being Reverse rolled , simply roll out by hand or foot and cut to length
- Remove after 4 weeks
- Film applicator, broom, rubber blade or similar can be used to assist in application.
- **A test area is always recommended prior to full application.**



PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
ST505101	SupaTak 500 - Clear Mid Tack Film Roll	500mm x 100m	24	5.18
ST510100	SupaTak 500 - Clear Mid Tack Film Roll	1000mm x 100m	24	10.36



www.atkar.com.au



SUPATAK™ 800: CARPET FILM

SUPATAK 800 is a reverse wound, clear polythene clear film coated with a pressure sensitive adhesive designed to be applied to carpet and textile floor coverings. Its application is intended to provide a protective barrier and help prevent soiling and staining during construction processes. ST800 is slip resistant and allows for accurate marking out for partitioning.



Benefits

- Adheres to most common carpet types
- Easy roll out and removal
- Will not creep and wrinkle after application.
- Waterproof
- Puncture and tear resistant
- Trip safe – proven to be safe even in public thoroughfares



Uses

- This product is for applications to carpets, DO NOT use on hard surfaces
- Ideal temporary protection for synthetic and nylon carpet
- Easy to roll out over stairs, for a walkway or for complete surface coverage
- Lays neat and tight against skirting's and around columns
- Ideal for masking or taping edges
- Also used to hold heavier duty protection sheeting in place by providing a low tack surface for the aggressive tapes to be applied



Application Instructions

- Adhesion will be reduced on dusty surfaces. Vacuuming prior to application is recommended
- ST800 must be removed after 4 weeks
- Always check ST800 is stuck firmly to carpets before commencing work
- ST800 may not adhere to some carpets treated with "stain-guard" products as they can repel the adhesive
- **A test area is always recommended prior to full application**
- Do not use underfloor heating whilst ST800 is in place
- It is the user's responsibility to determine suitability for use. If in doubt contact technical services for advice
- Being Reverse rolled , simply roll out by hand or foot and cut to length
- A film applicator, broom, rubber blade or similar can be used to assist in application.

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
ST802100	SupaTak 800 - Clear High Tack Film Roll	200mm x 100m	5	2.07
ST805100	SupaTak 800 - Clear High Tack Film Roll	500mm x 100m	24	5.18
ST808100	SupaTak 800 - Clear High Tack Film Roll	800mm x 100m	24	8.29
ST810100	SupaTak 800 - Clear High Tack Film Roll	1000mm x 100m	24	10.36



www.atkar.com.au



Email Orders:
orders@atkar.com.au



Order Online:
atkar.com.au



SUPATAK™ FR: FLAME RETARDANT

SUPATAK FR is a fire retardant, premium grade embossed clear film, with adhesive backing. It protects carpet and textiles surfaces whilst conforming to stringent fire standards.



Benefits

- Fire retardant certified to AS/ISO 9239-1-2003
- Puncture and tear resistant
- High Tack carpet adhesive backed – stays securely in place and leaves no residue
- Trip safe – proven to be safe in high traffic areas such as public thoroughfares
- Embossed surface for enhanced slip resistance
- Waterproof



Uses

- Ideal temporary protection for synthetic and nylon carpet
- Easy to roll out over stairs, and a walkways, or for complete surface coverage

Application Instructions



- Adhesion will be reduced on dusty surfaces. Vacuuming prior to use is recommended
- **SUPATAK** Film must be removed after 4 weeks
- Always check **SUPATAK** Film is stuck firmly to carpets before commencing work
- **SUPATAK** Film may not adhere to some carpets treated with “stain-guard” products as they can repel the adhesive
- A test area is always recommended prior to full application
- Do not use under floor heating whilst **SUPATAK** Film is in place
- It is the users responsibility to determine suitability for use.
If in doubt contact Atkar technical services for advice
- Being Reverse rolled, simply roll out by hand or foot and cut to length
- A film applicator, broom, rubber blade or similar can be used to assist in application.

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
STFR10100	SupaTak FR - Clear Flame Retardant High Tack Film Roll	1000mm x 100m	1	10.36



MEGAFILMTM: PLASTIC ROLL

MEGAFILM is a non-adhesive multi-purpose protection roll of industrial grade polythene.



Benefits

- 80um – 200um for industrial strength polythene rolls
- Waterproof
- AS Approved concrete underlay
- Durable & versatile
- Clear Sheeting – Allows maximum light & visibility
- Translucent Green – High visibility & privacy whilst allowing light through
- Black – for complete privacy
- Translucent White – low profile – blends with environment and gives privacy whilst allowing light through



Uses

- Traditionally used as temporary floor protection barrier against spills & wet foot traffic
- Drop sheets & covers, dust barriers, waterproof membranes
- Concrete underlay, asbestos wrapping
- Privacy Screens in conjunction with Zipwall system

On request we can also provide the following:

- Anti-Static Film
- Flame Retardant Film
- Food Safe Polythene
- Custom Printed Options
- A range of thicknesses and widths are available to suit varying applications and ceiling heights

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
P30020C1	MegaFilm - 80um Clear Plastic Roll	3000mm x 20m	30	2.28
P30050C1	MegaFilm - 80um Clear Plastic Roll	3000mm x 50m	30	5.70
P40010C1	MegaFilm - 80um Clear Plastic Roll	4000mm x 10m	30	1.52
P40020C1	MegaFilm - 80um Clear Plastic Roll	4000mm x 20m	30	3.04
P40050C1	MegaFilm - 80um Clear Plastic Roll	4000mm x 50m	30	7.60
P60050C1	MegaFilm - 80um Clear Plastic Roll	6000mm x 50m	30	11.40
P40100C1	MegaFilm - 100um Clear Plastic Roll	4000mm x 100m	30	19.00
P20050C2	MegaFilm - 200um Clear Plastic Roll	2000mm x 50m	30	9.50
P40050C2	MegaFilm - 200um Clear Plastic Roll	4000mm x 50m	30	19.00
P30020T1	MegaFilm - 80um Translucent Plastic Roll	3000mm x 20m	30	2.28
P30050T1	MegaFilm - 80um Translucent Plastic Roll	3000mm x 50m	30	5.70
P40020T1	MegaFilm - 80um Translucent Plastic Roll	4000mm x 20m	30	3.04
P40050T1	MegaFilm - 80um Translucent Plastic Roll	4000mm x 50m	30	7.60
P40050W1	MegaFilm - 80um White Plastic Roll	4000mm x 50m	30	7.60
P40100B1	MegaFilm - 100um Black Plastic Roll	4000mm x 100m	30	19.00
P40050B2	MegaFilm - 200um Black Plastic Roll	4000mm x 50m	30	19.00
P60033B2	MegaFilm - 200um Black Plastic Roll	6000mm x 33m	30	18.81
P20050B2HI	MegaFilm - 200um Black Plastic High Impact Roll	2000mm x 50m	30	9.50
P40050B2HI	MegaFilm - 200um Black Plastic High Impact Roll	4000mm x 50m	30	19.00
FLAME RETARDANT				
P40050C1FR	MegaFilm - 100um Clear Flame Retardant Plastic Roll	4000mm x 50m	30	9.50



Email Orders:
orders@atkar.com.au



Order Online:
atkar.com.au



MASKING FILM

Ideal for protecting surfaces from paint splashes and overspray. The handy built-in applicator makes it easy to apply in one action. The film is also treated to enhance paint adhesion.

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
MF05533	Translucent Masking Film Roll	550mm x 33m	48	1.00
MF05533D	Translucent Masking Film Dispenser Roll	550mm x 33m	48	1.00
MF27017	Translucent Masking Film Roll	2700mm x 17m	24	1.00
MF27017D	Translucent Masking Film Dispenser Roll	2700mm x 17m	24	1.00

DISPOSABLE DROP SHEETS

Strong commercial grade drop sheets for multipurpose use. Embossed for extra grip.

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
DS26004D	Disposable Drop sheets (Pk 25)	2600mm x 3600mm	2	1.00

STRETCH FILM

Handy film for wrapping, securing and binding together items.

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
BF01300	Clear Bundle Wrap Roll	100mm x 300m	20	2.00
SF5400B	Black Heavy Duty Stretch Wrap	500mm x 400m	4	2.00
SF5450C	Clear Stretch Wrap	500mm x 450m	4	2.00





BUNDLE FILM

Handy film for wrapping, securing and binding items together.

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
BF01300	Clear Bundle Wrap Roll	100mm x 300m	20	1.00

CONTINUOUS DROP SHEETS

Strong continuous drop sheet roll for multipurpose use. Embossed for extra grip.

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
DS38200C	Continuous Drop sheets	3800mm x 200m	1	25.00

*WE HAVE THE MOST FLEXIBLE
DELIVERY SYSTEM - TRY US!*

- Order by 9am - deliver by 3pm Sameday **
- Order by 3pm - deliver by 12pm Nextday **
- PRONTO 3hr delivery **

Plus crane deliveries and much more...



MEGAWEAVE™

MEGAWEAVE™ is a well proven industrial strength and waterproof poly-weave floor protector roll with an anti-slip coated surface.



Benefits

- Double laminated polythene weave for industrial strength, durability and tear resistance
- Cost effective and user friendly
- Environmentally sustainable polythene
- Provides protection from heavy activity
- Coated anti-slip surface
- 100% Waterproof



Uses

- Offers protection during heavy activities
- Ideal for laying over finished floors for protection
- Containment sheeting for the Zipwall dust barrier system
- Can also be used in external applications



Antislip & Waterproof

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
MW09050	MegaWeave - 90gsm White Roll	915mm x 50m	20	4.12
MW18100	MegaWeave - 90gsm White Roll	1830mm x 100m	50	16.20
MW40050	MegaWeave - 90gsm White Roll	4000mm x 50m	40	18.00
FLAME RETARDANT				
MW18100FR	MegaWeave FR - 120gsm White Flame Retardant Roll	1830mm x 100m	40	21.96

BREATHWEAVE™

BREATHWEAVE is a strong dust and water-resistant protector for uncured concrete and carpet laid with water-based adhesive. The breathable protector comes in a roll.



Benefits

- Breathable allowing moisture to escape
- Easy to use
- Water resistant
- Tough though very soft texture



Uses


- Commonly used to protect uncured (green) concrete
- Used to protect carpet after applying water based adhesives
- Can also be used in external applications
- Soft underlay under board sheet.

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
BW16100	BreathWeave - Blue Breathable Protector Roll	1600mm x 100m	12	19.20



3 SOFT ROLL PRODUCTS

- 24 Foam Products
- 26 Bubble Wrap
- 28 Felt Products
- 28 Corrugated Cardboard
- 29 Rubber Rolls



SUPAFOAM™

SUPAFOAM™ rolls provide a lightweight, non-abrasive protection for sensitive surfaces and fragile items.



Benefits

- Non-abrasive, cushioned foam to protect sensitive surfaces
- Environmentally Sustainable
- Lightweight



Uses

- Used to protect sensitive and polished surfaces such as tile, marble, glass surfaces and bench tops
- Can be used as a buffer under PolyFlute & board sheets
- Provides excellent protection for fragile items
- Easy wrap protection around columns and corners

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
SF0112100	SupaFoam - 1.0mm White Foam Roll	1200mm x 100m	10	4.50
SF0112500	SupaFoam - 1.0mm White Foam Roll	1200mm x 500m	10	22.50
SF0212100	SupaFoam - 2.0mm White Foam Roll	1200mm x 100m	10	9.00
SF0312100	SupaFoam - 3.0mm White Foam Roll	1200mm x 100m	10	13.50
SF0412100	SupaFoam - 4.0mm White Foam Roll	1200mm x 100m	10	18.00
SF0612070	SupaFoam - 6.0mm White Foam Roll	1200mm x 70m	10	18.90
SF0812050	SupaFoam - 8.0mm White Foam Roll	1200mm x 50m	10	18.00
SF1012050	SupaFoam - 10.0mm White Foam Roll	1200mm x 50m	10	22.50
SF1212050	SupaFoam - 12.0mm White Foam Roll	1200mm x 50m	10	27.00

SUPAFOAM™ STRIPS



Uses

- Skirting and edge protection
- Used extensively for protecting bench tops & other sensitive fixtures where only a narrow surface area needs to be protected



PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
SF02012100	SupaFoam - 2.0mm White Foam Strip Roll	120mm x 100m	10	0.90
SF02024100	SupaFoam - 2.0mm White Foam Strip Roll	240mm x 100m	10	1.80
SF02060100	SupaFoam - 2.0mm White Foam Strip Roll	600mm x 100m	10	4.50

* Enquire about custom thicknesses & widths



SUPAFOAM™ FB: FILM BACKED

SUPAFOAM FB is a moisture resistant film laminated to a lightweight, non-abrasive foam. It is a proven solution to prevent possible moisture and water damage to flooring.



SOFT ROLL PROD.



Benefits

- Non-abrasive, cushioned foam to protect sensitive surfaces
- Moisture resistant film laminated to the foam protector for water protection, added strength and versatility
- Self-adhesive – stays where it is applied
- Lightweight-Easy to use



Uses

- Ideal to protect floors from possible moisture and water damage
- Ideal stair protector that requires no taping
- Carpet and hard surface protection

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
SF0212050FB	SupaFoam - 2.0mm White Film-backed Foam Roll	1200mm x 50m	10	5.00
SF0312050FB	SupaFoam - 3.0mm White Film-backed Foam Roll	1200mm x 50m	10	7.15

SUPAFOAM™ SA: SELF BACKED

SUPAFOAM SA is a lightweight, non-abrasive foam protection for sensitive surfaces or fragile items. It is kept in position by a self-adhesive backing.



Benefits

- Non-abrasive, cushioned foam to protect sensitive surfaces
- Self-Adhesive backed to keep foam protection in place
- Lightweight-Easy to use



Uses

- Ideal for skirting and edge protection where foam must stay in place

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
SF0212010SA	SupaFoam - 2.0mm White Self-Adhesive Foam Roll	1250mm x 10m	10	-

www.atkar.com.au



Email Orders:
orders@atkar.com.au



Order Online:
atkar.com.au



MULTITOUGH™

MULTITOUGH is four-in-one surface protection, combining a robust outer surface, banded to a foam substrate. **MULTITOUGH** provides a waterproof, anti-slip, tear resistant, cushioned surface, for protection of applications such as: polished floors, vinyl, stone and joinery.



Benefits

- Soft cushioning and anti-scratch protection
- Anti-slip
- Lightweight
- Waterproof
- Tear resistant



Uses

- Four-in-one surface protection commonly used to protect polished floors, vinyl, stone and joinery.

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
MT12050	MultiTough – Four-in-one surface protection	1200mm x 50m	10	14.00



BUBBLE WRAP

Bubble Wrap is an effective, economical and user friendly protection for finished products including handrails, doors, frames and bench tops. Also a great protection for sensitive finished joinery

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
BW03100	Clear Bubble-Wrap Roll	300mm x 100m	10	3.02
BW05100	Clear Bubble-Wrap Roll	500mm x 100m	10	7.07
BW08100	Clear Bubble-Wrap Roll	750mm x 100m	10	10.51
BW15100	Clear Bubble-Wrap Roll	1500mm x 100m	10	21.20



BUBBLEWEAVE™

SOFT ROLL PROD.

BUBBLEWEAVE™ is the ultimate tough cushioned protector for sensitive surfaces in harsh environments. The unique foam & bubble weave is supplied in a roll, and is a cost effective method to use in situations requiring exceptional protective covering.



Benefits

- Foam & bubble combination for exceptional cushioning
- The laminated woven top layer allows for harsh usage/treatment
- Easy to use



Uses

- Used to protect sensitive and delicate surfaces in harsh environments
- Bench Tops, baths, sinks etc

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
BW15050	Bubble Weave - White Foam - Bubble Roll	1500mm x 50m	20	14.24



CARDBOARD: CORRUGATED ROLL



Benefits

- Rolls easy to handle & cut to size
- Impact resistant

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
CB012075	Corrugated Cardboard Roll	1200mm x 75m	4	15.00

*Other sizes available on request



Email Orders:
orders@atkar.com.au



Order Online:
atkar.com.au



FELTGUARD™ NS: NON-SLIP

FELTGUARD NS is easily deployed, universal roll of soft hard wearing felt with waterproof non-slip protective backing.




Benefits

- Environmentally sustainable felt
- Non-slip plastic backing
- Soft though safe protection
- Absorbent & re-usable
- Waterproof
- Quickly deployed



Uses

- Effective waterproof non-slip protection for stairs
- Commonly used as surface protection, drop sheets, furniture protection and transport
- Soft protection for almost any surface



PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
FGNS015040	FeltGuard NS - Non-Slip Backed Felt Roll	1500mm x 40m	15	18.00

FELTGUARD™ FF: FURNITURE FELT

FELTGUARD FF is a hard wearing felt fabric, which is easily deployed and cost effective.




Benefits

- Hard wearing
- Environmentally friendly
- Re-usable
- Reinforced durable design to withstand harsh long term usage
- Machine washable
- Quickly deployed



Uses

- Commonly used as surface protection, drop sheets, furniture protection and transport
- Soft protection for almost any surface



PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
FGFR010030	FeltGuard – Furniture Felt Roll	1000mm x 30m	4	15.23
FGFR018050	FeltGuard – Furniture Felt Roll	1830mm x 50m	4	41.18



FLAWGUARDTM RUBBER ROLL

FLAWGUARD is a durable roll-out rubber runner that is used to protect applications such as floors, public walkways.



Benefits

- Environmentally sustainable rubber
- Embossed - Non-Slip rubber
- Unaffected by extreme temperatures
- Durable & recyclable
- Protects surface, reduces cleanup time
- High quality protection



Uses

- Waterproof and impact protection for sensitive floors, stairs, public walkways/thoroughfares



SOFT ROLL PROD.

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
FGRR12020	FlawGuard - Rubber Protection Roll	1200mm x 20m	12	35.00

FELTGUARDTM QUILTED RUGS

Easily deployed durable, soft cushioned universal quilt protector.



Benefits

- Soft cushioning for high impact protection
- Reinforced durable design to withstand harsh long term usage
- Machine washable
- Re-usable
- Quickly deployed



Uses

- Often used as drop sheets, hand rail column, floor surface, worktops and furniture protection

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
FGQR018034	FeltGuard - Quilted Rug	1830mm x 3400mm	12	2.50



Email Orders:
orders@atkar.com.au




Order Online:
atkar.com.au



4 **EDGE PROTECTION**

- 31** Door Jamb & Hand Rail Protectors
- 32** Corner Protectors
- 34** Stair Tread Protectors



SUPAFOAM™ DOOR JAMB & HAND RAIL PROTECTOR

SUPAFOAM easy install, slit O-profile foam door jamb & hand rail protectors are used to guard against site damage.



Benefits

- High density fire retardant foam
- Re-usable
- Simple to install and remove



Uses

- Protects door jambs, hand rails, window frames, posts and columns from damage
- Also used to protect pipe work and tubing
- Scaffold safety



Application Instructions

- Simply open-up and push over exposed edge – no taping required in most applications



PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
HRP20045	Grey Foam Hand Rail Protector	2000mm x 45mm ID	20	0.10
HRP20050	Yellow Foam Tube Protector	2000mm x 50mm ID	20	0.10
DJP20095	Red Foam Door Jamb Protector	2000mm x 95mm ID	20	0.10



Email Orders:
orders@atkar.com.au



Order Online:
atkar.com.au



CARDBOARD: CORNER PROTECTORS

Proven corner/edge protection for walls, doors, windows, fragile products and palletised goods.



+ Benefits

- Environmentally sustainable cardboard
- 4mm thick cardboard protection against corner impact/indentation/damage
- Durable & recyclable
- Professional look

✓ Uses

- Ideal edge protection for walls, doors, windows, fragile products and palletised goods
- Safeguard set corners from site traffic
- Protect sharp objects

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
CCP010	Cardboard Corner Protector	1000mm	50	0.06
CCP018	Cardboard Corner Protector	1800mm	50	0.08
CCP021	Cardboard Corner Protector	2100mm	50	0.11



www.atkar.com.au



Call to order:
03 9796 3333



Fax your order:
03 9796 3389



POLYFLUTETM CORNER PROTECTOR

POLYFLUTE corner for, tough waterproof.



Benefits

- Dual wall – excellent impact protection
- Tough, versatile
- Waterproof



Application

- Effective protection for doors, windows, paneling & other finished surfaces



Application Instructions

- Cut to size, cut around door handles & other protrusions
- Tape joins and edges using appropriate adhesive tape



EDGE PROTECTION

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
PFCP20	PolyFlute – 2.0mm Black Corner Protector	2000mm	50	0.11



www.atkar.com.au



Email Orders:
orders@atkar.com.au



Order Online:
atkar.com.au



STAIR TREAD PROTECTORS

POLYFLUTE tread protectors for tough protection.




Benefits

- Dual wall – excellent impact protection
- Quick assembly
- Light weight – Easy to use
- Tough, versatile
- Waterproof



Uses

- Stair treads, nosing's & risers
- Custom sizes available



CUSTOM PROTECTION

Customise products to suite your needs.




Benefits

- Custom Printing – Economy printing through to full color lithographic printing
- Custom Shapes - Rapid slot together, pre-cut & creased **POLYFLUTE** assemblies to protect toilets, cisterns, baths etc.



5 ADHESIVE TAPES

- 36 Joining Tapes
- 38 Protection Tapes
- 39 Masking Tape



GRIPSTICK:TM

CORNER PROTECTOR

Heavy Duty clear tape with excellent adhesion for joining protective sheeting

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
CJT48	GripStik - Clear Joining Tape	48mm x 75m	36	0.20
CJT72	GripStik - Clear Joining Tape	72mm x 75m	24	0.24

GRIPSTICK:TM

ATKAR JOINING TAPE

Premium Atkar polypropylene joining tape

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
AJT48	GripStik - Atkar Joining Tape	48mm x 66m	36	0.24

GRIPSTICK:TM

CLOTH TAPE

Strong and aggressive high-tack waterproof tape.
Hand tearable for ease of use. Also known as GaffaTape.

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
BCT48	GripStik - Black Cloth Joining Tape	48mm x 25m	24	0.30
WCT48	GripStik - White Cloth Joining Tape	48mm x 25m	24	0.30

www.atkar.com.au





GRIPSTICK™ DUCT TAPE

Grey/Silver PVC tape ideal for joining and sealing protective materials. Very tenacious adhesion to almost any surface.

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
SDT48	GripStik - Silver Duct Tape	48mm x 30m	36	0.24



GRIPSTICK™ DOUBLE SIDED TISSUE TAPE

Standard double sided tissue tape with aggressive adhesion for joining layers of protection materials

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
DSTT48	GripStik - Double Sided Tissue Tape	48mm x 25m	36	0.15



GRIPSTICK™ DOUBLE SIDED FOAM TAPE

Polyethylene double sided foam tape for a flexible range of applications

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
DSFT18	GripStik - 1.6mm Double Sided Foam Tape	18mm x 66m	16	0.25





GRIPSTICK™ FRAGILE TAPE

Premium PVC Fragile Tape

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
FT48	GripStick - Fragile Tape	48mm x 66m	36	0.24



GRIPSTICK™ CARPET ADHESIVE FILM TAPE

High-tack film tape for carpet protection. Commonly used for cut in and as a removable surface to tape other floor protection to.

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
ST802100	SupaTak 800 - Clear High-Tack Film Roll	200mm x 100m	5	2.07



GRIPSTICK™ GLASS SAFE FILM TAPE

Low- tack window protection film commonly used for cutting in.

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
ST202100	SupaTak 200 - Blue Low-Tack Window Film Roll	150mm x 100m	6	2.04



GRIPSTICK™ CUSTOM PRINTED

Premium tape, custom printed with your logo.
Enquire for more info: enquiries@atkar.com.au





GRIPSTICK™ ALUMINIUM PROTECTION TAPE

Adhesive PVC tape to protect and mask both aluminium and steel frames for cutting in.



Benefits

- Heavy duty PVC helps prevent scratches, staining of anodised, powder coated & polished frames/surfaces
- Adhesive backed – removes clean, leaves no residue

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
BAPT48	GripStik - Black Aluminium Protection Tape	48mm x 66m	36	0.30
BAPT96	GripStik - Black Aluminium Protection Tape	96mm x 66m	18	0.60
BAPT230	GripStik - Black Aluminium Protection Tape	230mm x 66m	8	2.87



GRIPSTICK™ BLUE 14-DAY MASKING TAPE

Low tack masking, sealing and joining tape for sensitive applications. Peels off up to 14 days after applying to most surfaces with no residue.

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
BMT24	GripStik - Blue Masking Tape	24mm x 50m	36	0.20
BMT48	GripStik - Blue Masking Tape	48mm x 50m	24	0.40



GRIPSTICK™ GENERAL PURPOSE MASKING TAPE

Ideal tape for sealing, joining and short term masking applications

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
MT24	GripStik - Masking Tape	24mm x 50m	36	0.20
MT48	GripStik - Masking Tape	48mm x 50m	24	0.20



Email Orders:
orders@atkar.com.au




Order Online:
atkar.com.au



6 TOOLS

41 Applicators & Dispensers

43 Cutting Tools



SUPATAKTM

FLOOR FILM APPLICATOR

Ideal applicator for applying 800mm – 1000mm rolls of TakFilm over large areas, speeding up the process dramatically with less strain. The bonding of **SUPATAK** Rolls is enhanced which leaves a neat smooth finish to the film.



Benefits

- Allows one operator to use larger rolls with less strain
- More effective bond leaving a neat, smooth finish to the film
- Quick and easy set up
- Enables fast and efficient application



Application Instructions

- Ensure all applicator fixings are tight and installed correctly
- Ensure core plugs have been inserted into the **SUPATAK** Rolls
- Protection film is applied in forward motion, ensure film runs underneath the bottom steel roller

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
FAP12	SupaTak - Film Applicator suites rolls up to 1000mm wide		1	4



www.atkar.com.au



Email Orders:
orders@atkar.com.au



Order Online:
atkar.com.au



SUPATAK™ WINDOW FILM APPLICATOR

Ideal applicator for applying **SUPATAK** Window Film, speeding up the process dramatically with less strain.



Benefits

- Allows one operator to use both hands to apply the film
- Quick and easy set up
- Enables fast and efficient application



Application Instructions

- Simply insert the roll into the applicator and apply



PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
FAP06	SupaTak - Window Film Applicator suites rolls up to 610mm wide	1	1	2.34

DISPENSERS

Dispensers are available in a range of sizes and varieties to suit most tapes. Stand-up applicators for films & tapes are also offered. Enquire for more details.

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
BFD01	Bundle Wrap Dispenser		1	0.30
SFD5	Stretch Wrap Dispenser		1	1.03
TDPG50	WorkShield - Tape Dispenser (suits 76mm core x 50mm)		1	0.60



POLYFLUTETM CUTTER & SPLICER

Unique, safe **POLYFLUTE** cutter with twin cutting functionality for clean cuts or splices for quick and accurate folding.



Benefits

- Twin cutting functionality for clean cuts or splices for quick and accurate folding
- Cuts up to 5mm PolyFlute
- Ultra-safe
- Easy to use



Uses

- Used for clean cutting sheets and splicing sheets for quick and accurate folding



PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
PFC005	5mm PolyFlute - Cutter & Splicer Tool		1	0.15

WORKSHIELDTM UTILITY KNIVES

Quality utility knives, featuring retractable blades and nonslip grip.

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
SS12	WorkShield - Snap Blade Knife		1	0.10
SR15	WorkShield - Retractable Blade Knife		1	0.10
SF10	WorkShield - Fixed Blade Knife		1	0.10
SO10	WorkShield - Snap-Off Blades (Pk 10)		1	0.10



SO10



SS12



SR15



SS12



Email Orders:
orders@atkar.com.au




Order Online:
atkar.com.au



7 EXPANDING BARRIERS / HOARDINGS / DUST CONTAINMENT SYSTEMS

- 45** Traffic Barriers
- 45** Hoardings
- 48** Dust Containment Solutions



WORKSHIELD:TM EXPANDING BARRIERS

Durable powder coated crowd / traffic barrier that folds up compact.



Features/Benefits

- 950mm High x 3.2m Wide
- Folds up compact when not in use
- Strong though light weight for transportation & storage
- External / Internal use
- Powder coated finish
- Standard colors: Black/Yellow, Red/White



PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
BME09503BY	WorkShield - Black /Yellow Metal Expanding Barrier	950mm x 3200mm	1	
BME09503RW	WorkShield - Red /White Metal Expanding Barrier	950mm x 3200mm	1	

WORKSHIELD:TM BARRIER TAPE


Highly visible, non-adhesive tape for hazard warning and preventing access

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
BT75100RW	WorkShield - Red/White Barrier Tape	75mm x 100m	20	-



ZONEFX:TM HOARDING AND SITE SEGREGATION

ZONEFX – PVC Hoarding Solutions



Features/Benefits

- Light weight and easy to install
- Easily cut to size/shape
- Reusable/relocatable
- Clean pre-finished surface
- Space saver
- Durable and weatherproof
- Broad range of accessories; inc Single/Double Doors and Windows and cold room panel.



Common applications

- Cutting rooms
- Site offices/amenities
- Office partitioning
- Transportable buildings
- Food processing areas
- Hoardings for offices and high traffic areas; Airports, Shopping Centres, Schools,...

*Coolroom panel, MDF and Plywood(CD, Structural, Black Film Faced) available - *enquire for more details!*

*Fire Rated and Australian Hoarding Standard(AS4687-200) requirements - *call now to discuss you application!*



Email Orders:
orders@atkar.com.au



Order Online:
atkar.com.au



ZONEFXTM 300: FIXED PVC HOARDING SOLUTION

ZONEFX 300 is a reusable tongue and groove PVC panel system, designed to facilitate complete segregation of work areas. Ease of installation is made possible through lightweight 300mm wide panels, innovative fixing systems and accessories.



Key attributes:

- Satin off-white grooved finish
- Requires top and base track fixing/supporting
- Fully sealed/enclosed solution
- Tongue & Groove Panels
- Can be used as a ceiling



System Notes:

- 300mm Wide x 30mm Thick Tongue & Groove PVC Panel
- Standard Lengths 2400mm, 2700mm, 3000mm
- Custom lengths <6000mm
- Panel Weight approx 6kg/m²
- Single/Double doors and windows available
- Broad range of track profiles



Easy fit tongue and groove join for fast installation and demounting. Pre-finished 300mm wide x 30mm thick pvc panels. (stocked lengths in selected increments from 2.4m to 6m.)



Install walls and ceilings with the greatest of ease.

Single/double door units and window options.



ZONEFX™ 1200: FREE STANDING PVC HOARDING SOLUTION

ZONEFX 1200 is a high gloss reusable PVC panel system designed to create a premium robust free standing hoarding solution. Speed of installation is made possible through its 1200mm wide panels, which interlock into a free standing support system.

*Use in conjunction with Zipwall®
for complete dust containment*




Key attributes:

- Freestanding
- Maneuverability
- No fixings required
- Corporate, clean line gloss white finish
- Thick robust panel



System Notes:

- 1200mm Wide x 35mm thick robust PVC Panel
- Standard Lengths 2250mm, 2400mm, 2700mm, 3000mm
- Custom lengths <3000mm
- System includes tracking and supports (9kg Posts, 14kg Weights)
- Panel weight approx 6kg/m²
- Single/Double doors available
- Broad range of accessories available
- For complete dust containment use in conjunction with Zipwall kits



Email Orders:
orders@atkar.com.au



Order Online:
atkar.com.au



TAKMAT™

TAKMAT are trip safe tacky entrance mats for containing contamination, and preventing dust and dry debris from gaining entrance into sterile and clean environments.



Benefits

- 30 layered pressure sensitive polyethylene tacky sheets
- Removes & contains dry contamination from footwear
- Trip safe – low profile
- Reduces cleanup time and damage risk
- Enhances your professional image



Uses

- Commonly used under doors - low profile
- Ideal to prevent dust & dry debris being walked/tracked/wheeled into a clean area/finished floors, etc.
- Used extensively for computer rooms, hospitals, labs, shops, offices and homes, etc.



Application Instructions


- Remove the backing layer and stick to floor
- Peel/dispose each layer when fully soiled leaving a new layer ready for use



PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
TM0906B	TakMat - Blue Tacky Dust Mat	913mm x 610mm	8	
TM0909B	TakMat - Blue Tacky Dust Mat	913mm x 913mm	8	
TM0911	TakMat - Blue Tacky Dust Mat	913mm x 1130mm	8	
TM0906C	TakMat - Clear Tacky Dust Mat	913mm x 610mm	8	
TM0909C	TakMat - Clear Tacky Dust Mat	913mm x 913mm	8	

WORKSHIELD™ OVERSHOE PROTECTORS

Disposable elasticised overshoe to stop the spread of contamination in occupied or sensitive environments



PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
OSP200	WorkShield - Overshoe Protector (50 Pairs)		50	-



ZIPWALL®: DUST CONTAINMENT BARRIER SYSTEM

What is ZipWall®?

ZipWall® is a system of adjustable spring-loaded poles that hold up sheeting to form a barrier, delineate a work zone or create a cutting room. Ideal for containing dust during renovations, refurbishments, demolition and maintenance in sensitive or occupied areas.

Why ZipWall®? – Save time and money

TYPICAL PLASTIC SCREEN


10m long
2.7m ceiling height



Takes 2 men up to 30 minutes to install	✗
Shabby and poorly presented	✗
Requires tape and fixings to install	✗
Hours to remove and repair damage	✗
Step ladders required to install	✗
Unreliable dust seal	✗
No access through barrier	✗

ZIPWALL® BARRIER

10m long
2.7m ceiling height



Takes 1 man just 5 minutes to install	✓
Smart and professional looking	✓
No tape or fixings required	✓
5 minutes to pack up, zero damage	✓
Installed by 1 man from the ground	✓
Effective dust seal	✓
Zipper option for easy access	✓

ZIPWALL® – Gets all the ticks!



- No tools, tape or fixings
- No damage to **ceilings, walls or floors**
- Reusable **many times over**
- Height **range options** from 1.5 - 6.0m.



More kit info on www.zipwall.com.au
Buy kits online www.atkar.com.au
Request a Zipwall catalogue:
enquiries@atkar.com.au

ZERO dust	=	ZERO clean up	=	100% project profitability
ZERO contamination	=	ZERO hazard	=	100% safe work environment
ZERO damage	=	ZERO repairs	=	100% customer satisfaction

www.atkar.com.au



Email Orders:
orders@atkar.com.au




Order Online:
atkar.com.au



8 PPE

- 51** Safety Vests / Respiratory
- 52** Hearing & Eye Protection
- 53** Knee & Hand Protection
- 54** Head / Body Protection /
Asbestos Removal Products



WORKSHIELDTM SAFETY VEST

PPE

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
SVV602/M	WorkShield - Hi-vis Orange Safety Vest - Day Use Class D (M)		50	0.9
SVV602/L	WorkShield - Hi-vis Orange Safety Vest - Day Use Class D (L)		50	0.9

*Other options available - [enquire for more details!](#)

WORKSHIELDTM RESPIRATORY

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
DMPV	WorkShield - P2 Dust & Mist Respirator with Valve (Pk 12)		1	0.40
RRS01WK	RS01 TPE Half Mask Respirator - Particle Kit		6	0.93
RRS01PK	RS01 TPE Half Mask Respirator - Painters Kit		6	0.93
RRX01	WorkShield - Half Face Respirator - Silicone		10	0.75
RRS01	WorkShield - Half Face Respirator - TPE		10	0.93
RCA-A2	A2 Gas Filter (inc. in Painters Kit)	83mm x 35mm	20	68g
RP2R	P2 Particle Filter (inc. in Particle Kit)	77mm x 22mm	20	20g
RP2RC	P2 Particle Pre-Filter inc. Retainer Cap (inc. in Painters Kit)	86mm x 14.5mm	28	14g

*Other options available - [enquire for more details!](#)



DMPV



RP2RC



RCA-A2



RRS01WK



Email Orders:
orders@atkar.com.au



Order Online:
atkar.com.au



WORKSHIELD:™ HEARING PROTECTION

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
HEU660	WorkShield - Tapered earplug - Uncorded (100 Pairs)		10	1.10
HRE662	WorkShield - Class 5 Blue 3003 Earmuff - 26db		10	0.90
HBE635	WorkShield - Class 5 Earmuff - 28db		20	0.90

*Other options available - [enquire for more details!](#)



HEU660



HRE662



HBE635

WORKSHIELD:™ SAFETY GLASSES

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
EKA304	WorkShield - Clear Safety Specs		12	0.15
EKA305	WorkShield - Smoke Safety Specs		12	0.15

*Other options available - [enquire for more details!](#)



EKA304



EKA305

www.atkar.com.au



WORKSHIELD:TM

KNEE PADS



PPE

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
KPE680	WorkShield - Premium Gel Knee Pad (1 Pair)		12	1.10

*Other options available - [enquire for more details!](#)



GNN192L



GRB140/L

WORKSHIELD:TM

GLOVES

CAN'T FIND IT?
It may still be available -
CALL US!

PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
GNN192L	WorkShield- Nylon glove - nitrile coated (L)		12	0.15
GNN192XL	WorkShield - Nylon glove - nitrile coated (XL)		12	0.15
GRB140/L	WorkShield- Grey Cowgrain Riggers Glove (L)		12	0.15
GRB140/XL	WorkShield - Grey Cowgrain Riggers Glove (XL)		12	0.15

*Other options available - [enquire for more details!](#)

www.atkar.com.au



Email Orders:
orders@atkar.com.au



Order Online:
atkar.com.au



WORKSHIELD:TM

HARD HATS



PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
HHV550R	WorkShield - Vented Hard Hat with Ratchet Harness		20	0.95

**Other options available - enquire for more details!*

WORKSHIELD:TM

COVERALLS



PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
CPW615	WorkShield - White Polypropylene Disposable Coveralls (L)		50	0.20
CPW619	WorkShield - White Laminated Disposable Coveralls – Type 56 (L)		25	0.20

**Other options available - enquire for more details!*

WORKSHIELD:TM

ASBESTOS BAGS



PART NUMBER	DESCRIPTION	DIMENSIONS MM	PACK QTY	APPROX MASS KG
AB609	Asbestos Bag - 200 Micron (Pk 50)	600mm x 900mm	1	5.00
AB711	Asbestos Bag - 200 Micron (Pk 50)	700mm x 1100mm	1	7.00

DISCLAIMER:

THE TECHNICAL DATA CONTAINED HEREIN IS BASED ON OUR PRESENT KNOWLEDGE AND EXPERIENCE AND WE CANNOT BE HELD LIABLE FOR ANY ERRORS, INACCURACIES, OMISSIONS OR EDITORIAL FAILINGS THAT RESULT FROM TECHNICAL CHANGES OR RESEARCH BETWEEN THE DATE OF ISSUE OF THIS DOCUMENT AND THE DATE THE PRODUCT IS ACQUIRED. BEFORE USING THE PRODUCT, THE USER SHOULD CARRY OUT ANY NECESSARY TESTS IN ORDER TO ENSURE THAT THE PRODUCT IS SUITABLE FOR THE INTENDED APPLICATION. MOREOVER, ALL USERS SHOULD CONTACT THE SELLER OR THE MANUFACTURER OF THE PRODUCT FOR ADDITIONAL TECHNICAL INFORMATION CONCERNING ITS USE IF THEY THINK THE INFORMATION IN THEIR POSSESSION NEEDS TO BE CLARIFIED IN ANY WAY, WHETHER FOR NORMAL USE OR A SPECIFIC APPLICATION OF OUR PRODUCT. ANY WARRANTY APPLIES WITHIN THE CONTEXT OF THE STATUTORY REGULATIONS AND PROVISIONS IN FORCE, CURRENT PROFESSIONAL STANDARDS AND IN ACCORDANCE WITH THE STIPULATIONS SET OUT IN OUR GENERAL SALES CONDITIONS. THE INFORMATION DETAILED IN THE PRESENT TECHNICAL DATA SHEET IS GIVEN BY WAY OF INDICATION AND IS NOT EXHAUSTIVE. THE SAME APPLIES TO ANY INFORMATION PROVIDED VERBALLY BY TELEPHONE TO ANY PROSPECTIVE OR EXISTING CUSTOMER.



ORDER FORM

PHOTOCOPY THIS PAGE AND FAX
YOUR ORDER TO **03 9796 3389**
OR EMAIL: **orders@atkar.com.au**



INVOICE TO:		DELIVER TO:	
Company Name:		Attention to:	
Phone:	Fax:	Delivery Address:	Contact No:
Contact:			
Your Order No:			
ABN:		Delivery Date:	Time:
Order Date:		Delivery Via:	

[illegible]

Special Instructions:	
Authorised Signature:	

Atkar

17-19 David Lee Road Hallam

Victoria 3803 Australia

PO Box 1143 Narre Warren MDC 3805

T 03 9796 3333 | F 03 9796 3389 | E sales@atkar.com.au

atkar.com.au